


LAPPSET®

CLOXX









ASENNUSOHJE
MONTERINGSANSVISNING
INSTALLATION INSTRUCTION
AUFBAUANLEITUNG
NOTICE D'INSTALLATION

DATE: 13.8.2009

220090M



DATE: 13.8.2009


701985 	PCS 4	702341  LAPPSET Group Ltd 90200 FINLAND Date of issue: 12.3.456 Rev. no: 1.3.2009 Drawing no: 456 Date of approval: 1. June 2007 Standard: EN1076-1, 2004 TUV	PCS 1	702633 	PCS 1	703096 	PCS 2	902134 	PCS 7	902157 	PCS 20
902253 	PCS 3	902418 	PCS 5	902424 	PCS 4	903574 	PCS 2	903699 	PCS 1	903700 	PCS 1
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS
	PCS		PCS		PCS		PCS		PCS		PCS

EN Impact Area 20.9 m²



1:50




Grid size = 500 mm.




EN Impact Area 20.8 m²
Max falling height 2060 mm.






1:100



1:100







Max falling height.

